

JBC

www.jbctools.com

INSTRUCTION MANUAL



Solder Paste Hand Dispenser

Ref. DPM-A

Packing List

The following items are included:

Solder Paste Hand Dispenser 1 unit
Ref. DPM-A



3cc Syringe Barrel 2 units
Ref. SB03CC



Manual 1 unit
Ref. 0023415




How to use




1. Fill in the plunger housing with solder past.




2. Place the piston into the plunger housing.




3. Insert the plunger rod in the plunger housing.




4. Replace the cap with the needle in the plunger housing.




5. Lift the toggle



6. Insert the plunger with the syringe in the housing, fit the syringe fins in




7. Lower the toggle



8. Operate the lever until the paste comes out


Nozzles Range

STAINLESS STEEL NEEDLES



STYLE	Ref.	COLOR	GAUGE	ØID (mm)	ØID (in)
Stainless Steel Needles	ND18S6	Green	18	0.84	0.050
	ND20S6	Pink	20	0.61	0.036
	ND21S6	Purple	21	0.51	0.032
	ND22S6	Blue	22	0.41	0.028
	ND23S6	Orange	23	0.31	0.025
	ND25S6	Plan Red	25	0.25	0.020
	ND27S6	Clear	27	0.2	0.016
	ND30S6	Lavender	30	0.15	0.012
	ND32S6	Yellow	32	0.1	0.009
	ND34S6	Grass Green	34	0.06	0.008

TAPERED TIPS



STYLE	Ref.	COLOR	GAUGE	ØID (mm)	ØID (in)
Tapered Tips	ND18P	Green	18	0.84	0.033
	ND20P	Pink	20	0.64	0.024
	ND22P	Blue	22	0.41	0.016
	ND25P	Red	25	0.25	0.010
	ND27P	Orange	27	0.2	0.008

More Info at www.jbctools.com

ØOD (mm)	ØOD (in)	LENGHT (mm)	LENGTH (in)	TOTAL LENGHT (mm)	TOTAL LENGHT (in)	QTY
1.27	0.033	6.5	0.25	24	0.25	10
0.90	0.024	6.5	0.25	24	0.25	10
0.82	0.020	6.5	0.25	24	0.25	10
0.72	0.016	6.5	0.25	24	0.25	10
0.63	0.013	6.5	0.25	24	0.25	10
0.50	0.010	6.5	0.25	24	0.25	10
0.40	0.008	6.5	0.25	24	0.25	10
0.31	0.006	6.5	0.25	24	0.25	10
0.24	0.004	6.5	0.25	24	0.25	10
0.20	0.002	6.5	0.25	24	0.25	10

ØOD (mm)	ØOD (in)	LENGHT (mm)	LENGTH (in)	TOTAL LENGHT (mm)	TOTAL LENGHT (in)	QTY
1.27	0.050	-	-	32	1.26	10
1.20	0.048	-	-	32	1.26	10
0.72	0.028	-	-	32	1.26	10
0.50	0.020	-	-	32	1.26	10
0.40	0.016	-	-	32	1.26	10

Specifications

- Dimensions: 130x66x16mm / 0.05kg
5.12x2.60x0.63in / 0.11lb
- Package Dimensions: 155x55x45mm / 0.007kg
6.10x2.17x1.77in / 0.16lb

Complies with CE standards
ESD Safe

JBC

Warranty

JBC's 2 year warranty covers this equipment against all manufacturing defects, including the replacement of defective parts and labour.

Warranty does not cover product wear or misuse.

In order for the warranty to be valid, equipment must be returned, postage paid, to the dealer where it was purchased.



This product should not be thrown in the garbage.
In accordance with the European directive 2012/19/EU, electronic equipment at the end of its life must be collected and returned to an authorized recycling facility.

