

COMPACT stations

The best self-contained equipment for a successful hand soldering

The most exceptional technology

JBC has become the best choice for electronics profesionals. See for yourself the JBC Exclusive Heating System and its outstanding thermal performance.





Soldering stations

CD-BE

Soldering station



Ref Voltage / Fuse	CD-1BE / CD-1SE - 120 V / 2 A CD-2BE / CD-2SE - 230 V / 1 A CD-9BE / CD-9SE - 100 V / 2 A
Output Peak power	CD-BE 130 W / 23,5 V CD-SE 40 W / 23,5 V
Temperature range	90 - 450 °C / 190 - 840 °F

CF-E

Solder Feed station



Rework stations

CP-E

Micro Tweezers station

For soldering and desoldering small and medium SMD components. Includes PA120-A Micro Tweezers.



Ref Voltage / Fuse	CP-1E - 120 V / 2 A CP-2E - 230 V / 1 A CP-9E - 100 V / 2 A
Output Peak power	80 W / 23,5 V
Temperature range	90 - 450 °C / 190 - 840 °F

CV-E

Micro Desoldering station with Pneumatic pump

For desoldering jobs in precision electronic applications. Includes DS360-A Micro Desoldering Iron and


MV-A Pneumatic suction module fed

by compressed air max. 6 bar.

CS-E

Micro Desoldering station with Electric pump


precision electronic applications. Includes DS360-A Micro Desoldering Iron and MS-A Electric suction module.



Ref Voltage / Fuse	CS-1E / CV-1E - 120 V / 2 A CS-2E / CV-2E - 230 V / 1 A CS-9 E / CV-9E - 100 V / 2 A
Output Peak power	CS-E 40 W / 23,5 V CV-E 40 W / 23,5 V
Temperature range	180 - 450 °C / 356 - 840 °F







The best choice for the electronics professional





