

JBC

www.jbctools.com



ESD Tip Cleaner

Ref. CL8499

Packing list

The following items should be included:

ESD Tip Cleaner 1 unit Ref. CL8499	Sponge1 unit Ref. S0354	Manual 1 unit Ref. 0018806
--	---	--



Features

Improve thermal transfer by cleaning the tip after each solder joint.

Brass wool

Ref. CL6210

Very effective cleaning method. It leaves a small layer of solder on the tip to prevent oxidation between cleaning and reflowing.

Splashguard

Ref. 0017576

It prevents splashing of solder particles when using the brass wool.

Antisplash Membrane

Ref. 0017574

Prevents splashing to maintain the work area clean.

ESD Tip Wiper

Ref. CL0240

A temperature resistant receptacle lets the operator remove excess solder by gentle tapping or wiping.

Sponge

Ref. S0354

The least harmful cleaning method. Keep the sponge damp with distilled water when working to avoid tip wear.

Non-slip base

No need to hold the base while cleaning tips.



Tapping:



Tap to remove excess solder.

Wiping:



Use the slots to remove remaining particles.


Wool Replacement



Metal Brush replacement



Tip Wiper replacement



Wiper can be easily removed for cleaning.

Membrane replacement



*Loosen the screw and remove all components before removing the membrane.
Once positioned, place the components again.*

Specifications

Weight: 0.9 kg (1.9 lb)
Dimensions: 113 x 94 x 90 mm (4.45 x 3.70 x 3.54 in)

ESD Safe
Complies with CE standards

JBC

Warranty

JBC's 2 year warranty covers this equipment against all manufacturing defects, including the replacement of defective parts and labour. Warranty does not cover product wear or misuse. In order for the warranty to be valid, equipment must be returned, postage paid, to the dealer where it was purchased.



This product should not be thrown in the garbage.
In accordance with the European directive 2002/96/EC, electronic equipment at the end of their life must be collected and returned to an authorized recycling facility.



Manual in other languages available on our website

www.jbctools.com