

# 1578 A ESD Kraftform Micro screwdriver for slotted screws, 0.16 x 0.8 x 40 mm

ESD Series



<b>EAN:</b>	4013288215253	<b>Size:</b>	139x18x18 mm
<b>Part number:</b>	05030099001	<b>Weight:</b>	10 g
<b>Article number:</b>	1578 A ESD Micro	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82054000

- Kraftform Micro screwdriver for slotted screws
- ESD-safe tool thanks to surface resistance of  $\leq 10^9$  Ohm
- Multi-component Kraftform Micro handle for fast and ergonomic screwdriving
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Take it easy tool finder: colour coding according to profile and size

Electrostatically secured micro screwdriver. Safe protection against electrostatic energy and associated damage. By supporting the hand on the rotating cap, and by the fast rotating zone below the rotating cap, lightning fast turning is possible. Time-consuming hand switching is eliminated. The power zone with integrated soft zones ensures the transmission of high tightening and loosening moments. Precision zone for the correct rotation angle while adjusting. The Black Point tip provides fitting accuracy and optimum corrosion protection. Take it easy tool finder with colour coding by profiles and size stamping - for easy and quick finding of the required tool.



## Web link

[https://products.wera.de/en/screwdrivers\\_esd\\_series\\_1578\\_a\\_esd\\_micro.html](https://products.wera.de/en/screwdrivers_esd_series_1578_a_esd_micro.html)

Wera - 1578 A ESD Micro  
05030099001 - 4013288215253


Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

#### Wera ESD Tools



The requirements for ESD-safe screwdrivers are specified in the European standard DIN EN 61340-5-1. This standard also includes a handle that has to be out of a defined conductive material. The Wera products in the ESD series satisfy these standards and the even more stringent requirements demanded by some technology companies.

#### High protection




The electric surface resistance of the Wera ESD material is  $\leq 10^9$  ohm. This securely protects components against electrostatic energy and associated damage.

#### Kraftform Micro handle




Multi-component screwdriver handle for ergonomic working.

#### The precision zone




The precision zone directly above the blade gives the user a better feel for the right rotation angle during fine adjustment work.

#### The power zone




The power zone has integrated soft zones near the blade tip to ensure high torque transfer for loosening or tightening screws without losing contact with the screw.

#### Rotating cap and fast-turning zone



The fast-turning zone just below the rotating cap allow rapid twisting. This makes time-consuming grip adjustments as with other conventional precision screwdrivers unnecessary.

#### "Take it easy" Tool Finder



Screwdrivers with "Take it easy" tool finder: colour coding according to profile and size stamp.

#### Wera Black Point tip



The Wera Black Point tip and a refined hardening process ensure long service life of the tip, improved corrosion protection and an exact fit.

#### Web link








[https://products.wera.de/en/screwdrivers\\_esd\\_series\\_1578\\_a\\_esd\\_micro.html](https://products.wera.de/en/screwdrivers_esd_series_1578_a_esd_micro.html)

Wera - 1578 A ESD Micro  
05030099001 - 4013288215253

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## ESD Series

Further versions in this product family:

	 mm	 mm	 mm	 mm	 mm	 inch	 inch
<b>05030099001</b>	<b>0.16</b>	<b>0.8</b>	<b>40</b>	<b>97</b>	<b>2.0</b>	<b>1/32</b>	<b>1 9/16</b>
05030101001	0.23	1.5	40	97	2.0	1/16	1 9/16
05030100001	0.25	1.2	40	97	2.0	0.05	1 9/16
05030102001	0.30	1.8	60	97	2.0	0.07	2 3/8
05030108001	0.35	2.5	40	97	2.5	3/32	1 9/16
05030103001	0.40	2.0	60	97	2.5	5/64	2 3/8
05030104001	0.40	2.5	80	97	2.5	3/32	3 1/8
05030105001	0.50	3.0	80	97	3.0	1/8	3 1/8
05030106001	0.60	3.5	80	97	4.0	9/64	3 1/8
05030107001	0.80	4.0	80	97	4.0	5/32	3 1/8

## Web link

[https://products.wera.de/en/screwdrivers\\_esd\\_series\\_1578\\_a\\_esd\\_micro.html](https://products.wera.de/en/screwdrivers_esd_series_1578_a_esd_micro.html)

Wera - 1578 A ESD Micro  
05030099001 - 4013288215253

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)