Kraftform 2go 100, 11 pieces

Kraftform Plus - Series 100 VDE





















EAN:	4013288187826	Size:
Part number:	05004310001	Weigh
Article number:	Kraftform 2go 100	Count

Size:	185x115x240 mm
Weight:	1115 g
Country of origin:	CZ
Customs tariff number:	82054000

- Insulated blades for secure work at 1,000 volts
- Multi-component Kraftform Micro handle for fast and ergonomic screwdriving
- Lasertip tips for more secure fit in the screw head
- Hexagonal anti-roll feature against rolling away
- Suitable for docking with the Wera 2go system.

11 VDE-insulated, Kraftform screwdrivers; with "Take it easy" Toolfinder; in the Wera 2go 4 quiver; comes with an adjustable partition element for individual sectioning.

# Kraftform 2go 100, 11 pieces

Kraftform Plus - Series 100 VDE

# Set contents:



**Wera 2go 4** 05004353001 1 x 105 x 165 mm



**162 i PH VDE** 05006152001 05006154001

167 i TORX® VDE

05006170001

05006172001

05006174001

05006440001

160 iS

1 x PH 1 x 80 mm 1 x PH 2 x 100 mm

1 x TX 10 x 80 mm

1 x TX 15 x 80 mm

1 x TX 20 x 80 mm

1 x 0.6 x 3.5 x 100 mm

1 x PH 2 x 100 mm

\*



1 x PZ 1 x 80 mm 1 x PZ 2 x 100 mm

1 x 0.4 x 2.5 x 80 mm

1 x 0.8 x 4 x 150 mm

1 x 1 x 5.5 x 200 mm



**160 i VDE** 05006100001<sup>1)</sup> 05006116001 05006121001 1) without Lasertip

K120



1 x 120 x 50 mm



Wera 2go 4 Tool Quiver

At the workplace and when out and about



The large set-down area improves the stability of the Tool Quiver. Its large handle means that the quiver can be easily transported or simply hung up at the workplace. Robust and dimensionally stable



The robust and dimensionally stable material is very resistant against cuts and stabs. The tools carried are protected against damage and moisture. This enhances the service life of the tool box. **Clever organisation** 



The variably adjustable hook and loop fastener partition in the Tool Quiver ensures neat and tidy arrangement of the tools.

Wera - Kraftform 2go 100 05004310001 - 4013288187826

# Kraftform 2go 100, 11 pieces

Kraftform Plus - Series 100 VDE



### Perfect system supplement

Lasertip prevents slipping out

Individually tested

# "Take it easy" Tool Finder



Thanks to its hook and loop fastener zone, the Tool Quiver can be docked with the Wera 2go 1 tool carrier and with the Wera 2go 2 tool container.



It happens time and time again that the tip slips out of the screw head when screwdriving, sometimes damaging valuable surfaces or even causing injury. The tips of the Wera Lasertip screwdrivers are microscopically roughened by means of a laser. This rough surface literally "bites" itself firmly into the screw head. Slipping out becomes a thing of the past.



The individual testing at 10,000 volts, in accordance with IEC 60900, ensures safe working with loads up to 1,000 volts.

# Image: Second state Image: Second st

Colour coding according to profile and size stamp. This enables faster and more reliable selection of the correct tool from the tool case.