



Compact line

Everything you need in minimum footprint

Compact line

Everything you need in minimum footprint.

All in One

Control Unit + Stand + Cleaning

Each unit meant for a specific purpose



Soldering

CDS

Precision Soldering Station

This station is ideal when working on populated PCBs or under a magnifying glass. It includes T210 Precision Purpose Handle.

CDB

Soldering Station

This station is suitable for both SMD or THT components. It includes T245 General Purpose Handle.

CDA

Solder Feed Station

The perfect station for applications requiring a free hand to solder wire, connectors, transformers or THT components. It includes AP250 Solder Feed Iron.

The Soldering Co.



CDP

Micro Tweezers Soldering Station

The best solution for soldering and rework of SMD such as chips, small/medium SOP components and dual line components. It includes AM120 Adjustable Micro Tweezers.

Desoldering Station

The perfect station for precision desoldering jobs of THT components and SMD pad cleaning. It includes **DS360** Micro Desoldering Iron.






Most Efficient Soldering System

JBC Exclusive Heating System

JBC Stations work with JBC Exclusive Heating System, which recovers tip temperature extremely quickly. This increases work efficiency and allows the user to work with lower temperatures.


350°C/662°F in 2 seconds



*This graph compares JBC C210 Cartridge Range to the equivalent cartridges of the best competitor.

Efficient Temperature Control

Comparative process of 3 solder joints



Tips with JBC technology only drop 30°C (54°F) where others drop as much as 70°C (126°F).

Intelligent Heat Management

Thanks to automatic detection of the tool in the stand, JBC Soldering and Rework Stations allow the tools to enter into **Sleep & Hibernation Modes** when not being used. As a result, tip life lasts up to 5 times longer.

Sleep Mode

Sleep Mode automatically lowers tip temperature below the solder melting point when the tool rests in the stand. It prevents the dissolution of the tip iron coating into molten solder.

Hibernation Mode

After a configurable period of tool inactivity in the stand, the tool enters into **Hibernation Mode**. It cuts off the power supply making the tip reach room temperature thus preventing oxidation and saving energy.

Longer Tip life

Tip life increases exponentially by using lower temperatures as shown. Using Sleep Mode, the temperature is further reduced, which multiplies tip life by 5.

