Bit-Check 10 Stainless 1 SB, 10 pieces

Bit-Checks Stainless



EAN:	4013288112163	**Size:**	200x95x16 mm
Part number:	05073630001	**Weight:**	107 g
Article number:	Bit-Check 10 Stainless 1 SB	**Country of origin:**	CZ
		Customs tariff number:	82079030

- Upright positionable, multi-component Bit-Check
- Solution to the extraneous rust problem: fasten stainless screws with stainless tools
- Vacuum ice-hardening provides the required hardness and strength
- Rapidaptor technology for rapid bit change
- Industrial applications possible without any constraints

Bit-Check that can be positioned upright with high quality bits out of stainless steel. Wera stainless tools are manufactured out of stainless steel, thus preventing the formation of unsightly extraneous rust. 9 Wera stainless bits. 1 stainless Rapidaptor quick-release holder. The multi-component Bit-Check is convincing on account of its low weight and the maximum possible degree of compactness. In this respect, the soft material in the lower section of the Bit-Check ensures that the bits are securely held whilst being simple to remove at the same time. The profile and size of the bits are easy to recognise thanks to the Wera "Take it easy" Tool Finder with its colour coding and clearly visible imprint.

Web link
https://products.wera.de/en/bits_holders_adaptors_and_sets_bit_sets_bit-checks_stainless_bit-check_10_stainless_1_sb.html

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de



No chance for extraneous rust with stainless steel

At the workplace



The Bit-Checks can be positioned upright at the workplace so the tool is always quickly to hand.

Screw stainless steel together with stainless steel!



Solution to the rust problem: screwdriving stainless steel together with stainless steel! Wera stainless steel tools are manufactured out of stainless steel so unsightly rust can be avoided.

Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

Stainless Steel Bits



Wera stainless steel bits are manufactured out of stainless steel so unsightly rust can be avoided. The stainless steel bits from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

Rapidaptor stainless steel



Manufactured out of stainless steel thus preventing the formation of unsightly extraneous rust when working with stainless steel. Additionally, it offers all the advantages of the Rapidaptor technology.

Chuck-all



The Rapidaptor quick-release chucks hold ¼" DIN ISO 1173-C 6,3 and E 6,3 as well as Wera series 1 and 4 bits.

Rapid-in and self-lock



The bit can be pushed into the adaptor without moving the sleeve. The lock is activated automatically as soon as the bit is applied to the screw. Bits are held securely and wobble-free.

Web link
https://products.wera.de/en/bits_holders_adaptors_and_sets_bit_sets_bit-checks_stainless_bit-check_10_stainless_1_sb.html

Wera - Bit-Check 10 Stainless 1 SB
05073630001 - 4013288112163

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bit-Check 10 Stainless 1 SB, 10 pieces

Bit-Checks Stainless

Set contents:

3888/4/1 K Rapidaptor Universal Bit Holder, stainless, 1/4" x 50 mm




05071100001	1x	1/4" x 50 mm

3851/1 TS bits, stainless, PH 2 x 25 mm



05071011001	1x	PH 2 x 25 mm

3855/1 TS bits, stainless, PZ 1 x 25 mm



05071020001	1x	PZ 1 x 25 mm
05071021001	2x	PZ 2 x 25 mm

3867/1 TS TORX® bits, stainless, TX 10 x 25 mm



05071032001	1x	TX 10 x 25 mm
05071033001	1x	TX 15 x 25 mm
05071034001	1x	TX 20 x 25 mm
05071035001	1x	TX 25 x 25 mm
05071037001	1x	TX 30 x 25 mm

Web link
https://products.wera.de/en/bits_holders_adaptors_and_sets_bit_sets_bit-checks_stainless_bit-check_10_stainless_1_sb.html

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de