



Polymer Processing

MOULD PROTECTIVE

CORROSION INHIBITOR FOR MOULD TOOLS

Mould Protective has been specially formulated for application to mould surfaces after their use to remove any surface moisture and to protect the mould against corrosion during storage. Mould Protective protects metals and alloys, offering temporary conservation of metal parts during storage. It displaces and seals out water and moisture. Does not contain silicones. Easily moulded off.

PRODUCT CODES / FILL SIZES



31545 / 400ml



31691 / 200Ltr

APPLICATIONS

All injection mould tools, blow mould tools, extrusion dies and metal components requiring corrosion protection.

DIRECTIONS

- Shake well before use.
- Stir or mix bulk products well before use.
- Repeat frequently during the application.
- Use only with adequate ventilation.
- Apply to a clean, dry surface.
- Clean the aerosol valve by turning the can upside down and spraying until only propellant escapes.

TECHNICAL DATA (WITHOUT PROPELLANT)

Color	Yellow
Odor	Solvent
Density	0.740 (@ 20°C)
Flash Point	- 4 °C
Salt spray resistance active product	100 h
Drying time active product	Cont. film: 10 min
Water separability (ASTM D 1401)	NaCl displaced

MATERIALS COMPATIBILITY

OK	Safe on all metal surfaces, does not stain. Safe on most rubbers, plastics and coatings. Test on sensitive or stressed materials before use.
CAUTION	-
NOT OK	-

STORAGE & SHELF LIFE

The product may be stored at normal ambient temperatures and has a shelf life of not less than 6 years with correct storage. Aerosols should always be stored below 50°C, away from direct heat and naked flame.

HEALTH AND SAFETY

A separate Safety Data Sheet (SDS) according to EC Regulation 73/404/EEC and 648/2004/EC is available from Ambersil.com or via info.uk@crcind.com

MISREPRESENTATION ACT 1967

TRADE DESCRIPTIONS ACT 1968

The information given in this publication is based on our experience and reports from customers. There are many factors outside our control and knowledge which affect the use and performance of our products and for which reason no warranty is given, express or implied. Users should make their own tests to determine the applicability of such information or the suitability of any products for their own particular purposes. Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is to be assumed.

Version 3.1
Created: July 2019
Updated: October 2020

CRC Industries UK Ltd.
Wylds Road, Bridgwater
Somerset, TA6 4DD
United Kingdom

Company Registered No. 04910479

t +44 (0)1278 727200
f +44 (0)1278 425644
e sales.uk@crcind.com
w www.ambersil.com

VAT No. GB 821 5195 42

