

# Fume Extractors

Model references: FAE1, FAE2

| Error num. | Displayed message                                                                                                  | Solution                                                                                                                                                                         |
|------------|--------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1          | WARNING #1<br>Useful filter life is about to wear out. In X days the filter life is going to finish.               | Replace the filter and reset it.                                                                                                                                                 |
|            | STOP #1<br>Useful filter life is worn out. Replace it and execute reset function in the filter menu.               |                                                                                                                                                                                  |
| 2          | WARNING #2<br>Filter is about to obstruct.                                                                         | Replace the prefilter. If the warning persists, replace the HEPA+Coal. If the problem is not solved, contact the Technical Service.                                              |
|            | STOP #2<br>Filter obstructed. Replace the pre-filter, if the error remains, replace the HEPA+carbon filter set.    |                                                                                                                                                                                  |
| 3          | STOP #3<br>Filter not detected. Place a filter in order to use the fume extractor.                                 | Put a filter, if the error persists, contact with the technical support.                                                                                                         |
| 4          |                                                                                                                    | Take the cover off and put it again.                                                                                                                                             |
|            | STOP #4<br>Cover opened or badly closed. Double check the cover.                                                   | Clean the contacts of the cover and the base (only for FAE2).<br>Fit the close mechanism.<br>If the problem is not solved, contact the Technical Service.                        |
| 5          | STOP #5<br>Blower damaged. Contact with technical service.                                                         | Contact with the technical support.                                                                                                                                              |
| 7          |                                                                                                                    | Take the cover off and clean the contacts of the cover and the base. Next, restart the station.                                                                                  |
|            | STOP #7<br>Valve X error. Restart the unit, if the error remains, replace the valve.                               | Take off the cover, Fit the close mechanism and reset the station.<br>Replace the valve and restart the station.<br>If the problem is not solved, contact the Technical Service. |
| 8          | STOP #8<br>Overcurrent detected in auxiliary port. Disconnect the peripheral and check it before connecting again. | Take the connected peripheral off in the Aux port. If in 10 seconds, the error persists, contact with the Technical Service.                                                     |
| 9          | STOP #9<br>Pedal error in port X. Replace the pedal.                                                               | Disconnect the pedal from the specified port. If the problem is not solved, contact the Technical Service.                                                                       |
| 10         | STOP #10<br>System error. Restart the unit, if the error remains, contact with technical service.                  | Restart the station.<br>If not solved, contact with the Technical Service.                                                                                                       |
| 11         | STOP #11<br>System error. Restart the unit, if the error remains, contact with technical service.                  |                                                                                                                                                                                  |

If problem not solved, contact with Technical Support Dep.:

<https://www.jbctools.com/jbcsupport.html>