




VE Cam


Compact digital
inspection system



EFFICIENT AND ACCURATE INSPECTION. COMPACT FOOTPRINT. GETTING THE JOB DONE.

Designed for productivity, the compact VE Cam 50 & VE Cam 80 offer the power, speed and efficiency of digital imaging in a compact package. Packed with new and established features, VE Cam enables you to do more with maximum space efficiency.

Available with 80mm or 50mm field of view, VE Cam is ideal for many routine inspection tasks. Suitable applications include: electronics, mechanical engineering, plastics, additive manufacturing, and ceramics.



Digital working efficiency

Digital technology supports immediate information capture and share across teams.



Intuitive technology

User friendly interface and common functions make digital systems easy to understand and use.



Wireless viewing

WiFi image mirroring mean colleagues and supervisors can view live images without interrupting workflow.



Improved decision making

Common viewing capability across teams speeds sample and product validation, adding value and reducing cost through increased efficiency.



Touch screen configuration

Features for productivity

Enhanced productivity features include:

- 10 User programmable presets
 - Users can configure and swiftly recall preferred settings for up to 10 settings, for example image settings and functional grids, time stamp and other options. Saves time when changing subjects and aids consistency between users
- 6 hotkeys for instant one touch access to most commonly used presets
- Configurable interface allows most commonly used settings to be shown direct on the screen. Choose to see the features you need



Features for viewing quality

- Precise lighting for precise images: Control of the built-in 8-point ring-light direct from the screen and add transmitted, oblique and flexible illumination through a selection of accessories
- Display two magnifications on screen at one time allowing overview and detail view without changes in settings
- Graphical overlays over the image aid speedy assessment of the subject and can be saved as part of the captured image. Addition of an optional time stamp add traceability



Control as you like

Get the most from the system by controlling it as you need. Intuitive menus can be accessed by mouse, touchscreen, keypad or keyboard with shortcuts configured on a programmable footswitch allowing direct, hands free access to three selectable features.

Multi-language menus: using English, German, Spanish, French, Italian, Portuguese, Chinese, Japanese, Russian



Wireless
screen sharing



Touch screen
compatible



Large field of
view



Long working
distance



10
programmable
presets



Grid overlays



Built-in ring
light



On-axis
imaging



Pan & zoom
live images

TECHNICAL INFORMATION + STAND OPTIONS

Optical	VE Cam 50	VE Cam 80
Diagonal FOV	50mm	80mm
Max. FOV (H x V)	40mm x 30mm	64mm x 48mm
Min. magnification*	9.97x	6.23x
Min. FOV (H x V)	8mm x 6mm	12.8mm x 9.6mm
Max. magnification	49.9x	31.15x
Working distance	163mm	148mm
Maximum subject height when mounted to stand		
Bench stand	75mm	90mm
Single arm stand	119mm	134mm
Double arm stand with clamp	262mm	277mm
Double arm stand with base	407mm	422mm
Articulated arm stand	505mm	520mm

*using 24" screen

Shared features

WiFi hotspot - screen mirroring, on-screen quick buttons, save images, pan & zoom of live image, replay saved images, pan and zoom of saved image, area magnifier, pinch zoom (mouse pad/touch screen), 10 presets, time stamp, crosshair & colours, grids & colours, exposure options, white balance options



Bench stand



Single arm stand



Double arm stand



Articulated arm stand

To see our focused quality, please contact your Vision Engineering branch, local authorised distributor, or visit our website: visioneng.com

Sales Partner

UK
CA
CE

Disclaimer - Vision Engineering Ltd. has a policy of continuous development and reserves the right to change or update, without notice, the design, materials or specification of any products, the information contained within this brochure/datasheet and to discontinue production or distribution of any of the products described.
EO&E: Errors and omissions excepted.

Vision Engineering Ltd.
(UK Manufacturing & Commercial)
The Freeman Building, Galileo Drive, Send, Surrey, GU23 7ER, UK
T +44 (0) 1483 248300
E generalinfo@visioneng.co.uk

Vision Engineering Ltd.
(Central Europe)
Anton-Pendele-Str. 3, 82275 Emmering, Deutschland
T +49 (0) 8141 40167-0
E info@visioneng.de

Nippon Vision Engineering (Japan)
272-2 Saedo-cho, Tsuduki-ku, Yokohama-shi, Kanagawa 224-0054, Japan
T +81 (45) 935 1117
E info@visioneng.jp

Vision Engineering (India)
T + 91 (0) 80-5555-33-60
E info@visioneng.co.in

Vision Engineering (South East Asia)
P-03A-20, Impian Meridian, Jalan Subang 1, USJ 1, 47600 Subang Jaya, Selangor Darul Ehsan, Malaysia
T +604-619 2622
E info@visioneng.asia

Vision Engineering Inc.
(NA Manufacturing & Commercial)
570 Danbury Road, New Milford, CT 06776, USA
T +1 (860) 355 3776
E info@visioneng.com

Vision Engineering Ltd. (Italy)
Via G. Paisiello 106 20092 Cinisello Balsamo MI, Italia
T +39 02 6129 3518
E info@visioneng.it

Vision Engineering (China)
Room 904B, Building B, No.970, Nanning Road, Xuhui Vanke Center Shanghai, 200235, P.R. China
T +86 (0) 21 5036 7556
E info@visioneng.com.cn

Vision Engineering (Mexico)
T 800 099 5325
E info@visioneng.com

Vision Engineering (Latin America)
E info@visioneng.com

Vision Engineering (Brazil)
E info@visioneng.com.br

Vision Engineering Technology Centre
16 Technology Drive, Unit 148, Irvine, CA 92618, USA
T +1 (800) 644 7264 (Toll free)
E info@visioneng.com

Vision Engineering Ltd. (France)
ZAC de la Tremblaie, Av. de la Tremblaie 91220 Le Plessis Paté, France
T +33 (0) 160 76 60 00
E info@visioneng.fr

Vision Engineering (Costa Rica) Centro
Coyol Innovación y Servicios 50 mts Sur de Riteve Coyol, Alajuela
T 0.800.0320059
E info@visioneng.com.br



FM 557119

Vision Engineering Ltd. has been certified for the quality management system ISO 9001:2015 and calibration accreditation ISO 17025:2017.